

# C1T

# **Smart Home Camera**

## A watchful eye on your home.

Keep continuous watch over your home and keep hold of what you care most about with the EZVIZ C1T Indoor Camera. 1080p high-definition video and enhanced night vision make sure you never miss a thing.

FHD <sup>1</sup>

1080p



Sleep Mode



Three Sound-Alert Modes



Motion Detection



Two-Way Talk



Night Vision up to 12 m (39.6 ft.)



Supports 2.4 GHz WiFi



Supports MicroSD Card Storage (up to 256 GB)





EZVIZ CloudPlay Storage



# 1080p high-definition video.

This camera captures 1080p high-definition videos and pictures, recording every moment with sharp clarity.








### Instant motion notifications.

Know everything that's going on in your house while you're away. You can receive instant notifications whenever the C1T detects any motion, then easily check details via the EZVIZ App.







# Specifications Model CS-C1T (1080P)

#### Camera

Image Sensor 1/2.7" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 2.8 mm, view angle: 124° (Diagonal), 100° (Horizontal),

54° (Vertical)

Minimum Illumination 0.5 Lux @(F2.2, AGC ON), 0 Lux with IR

Lens Mount M12

Day & Night IR-cut filter with auto-switching

DNR 3D DNR

Night Vision 12 m / 39.6 ft.

#### Video & Audio

Max. Resolution 1920 x 1080

Frame Rate Max: 25 fps; Self-Adaptive during network

Video Compression H.264

H.264 Type Main Profile

Video Bit Rate HD; Standard. Adaptive bit rate.

Audio Bit Rate Self-Adaptive

Max. Bitrate 2 Mbps

#### **Function**

Smart Alert Motion detection

Two-way Talk Supports

General Function Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image,

Password Protection, Watermark

#### Network

Wi-Fi Standard IEEE802.11b/g/n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20 MHz

Security 64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps

Wi-Fi Pairing AP pairing

Protocol EZVIZ cloud proprietary protocol Interface Protocol EZVIZ cloud proprietary protocol

#### Storage

Local Storage MicroSD card slot (Up to 256 GB)

Cloud Storage EZVIZ Cloud Storage

#### General

Operating Conditions  $-10 \, ^{\circ}\text{C} \sim 45 \, ^{\circ}\text{C} \, (14 \, ^{\circ}\text{F to } 113 \, ^{\circ}\text{F}),$ 

Humidity 95% or less (non-condensing)

Power Supply DC 5V / 1A

Power Consumption MAX. 2.68 W

Dimensions 52 x 64 x 115 mm (2.05 x 2.52 x 4.53 inch)

Packaging Dimensions 123 x 79 x 125 mm (4.84 x 3.11 x 4.92 inch)

Weight 320 g (11.29 oz)

Net Weight 118 g (4.16 oz)

## In the box:

- C1T Camera
- USB Cable
- 3-Meter Power Adapter
- Foam Sticker
- Metal Plate
- Base
- Drill Template
- Screw Kit
- Regulatory Information
- Quick Start Guide

## Certificates

CE / WEEE / REACH / ROHS / NOM / IFETEL